

	PRE-QUALIFICATION REQUIREMENTS FOR INSULATING MATS	PE-PQ-999-507-E007
		REVISION NO. 02 DATE 29/04/2016
		SHEET NO. 1 OF 1

09ITEMS: Insulating mats

The complete range is divided into two classes and the vendor can be considered for evaluation for both or either of the two classes :

- a) Class A, Category III
- b) Class B, Category III

SCOPE: Supply : YES; Erection & Commissioning : NO;

1	Vendor should be BIS registered with operative status for Category III for the applicable class of insulating mats as per BIS official website.
2	Availability of type test certificates conducted at ERDA/ CPRI/ Govt. approved Lab for the applicable class & Category III insulating mats.
3	Vendor should have in-house facility for manufacturing & carrying out routine & acceptance tests as per IS.
4	Supplied applicable class of insulating mats to 2 different end users/ purchasers.
5	Minimum two (2) nos. purchase orders for insulating mat of applicable class shall be submitted which should not be more than five (5) years old from the date of application for registration or date of techno-commercial bid opening (as applicable) for establishing continuity in business.

NOTE:

Supplier to comply to "general points of PQR" available at <http://bhelpem.com/vensection/PMD/PMD.aspx>
In case supplier is not OEM, the offer shall be evaluated as per point no 1 of "general points of PQR".

PREPARED BY NAME: DESIGNATION:	REVIEWED BY NAME: DESIGNATION:	APPROVED BY NAME: DESIGNATION:
--	--	--